

	Type	Hits	Search Text	DBs	Time Stamp
21	BRS	39	(access adj (path\$1 plan\$1) or (mini adj plan\$1 or miniplan\$1)) and (optimal optimum) near3 join\$1	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2004/08/20 08:59
22	BRS	24	((access adj (path\$1 plan\$1) or (mini adj plan\$1 or miniplan\$1)) and (optimal optimum) near3 join\$1 ) not (access adj (path\$1 plan\$1) same (optimal optimum) near3 join\$1 )	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2004/08/20 08:59
23	BRS	0	simulat\$5 with (optimal optimum optim\$9) near20 join\$3 same relational adj database	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:03
24	BRS	42	simulat\$5 with (optimal optimum optim\$9) near20 join\$3	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:04
25	BRS	15	simulat\$5 with (optimal optimum optim\$9) near20 join\$3 and @rlad<="20020304"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:06

	Type	Hits	Search Text	DBs	Time Stamp
26	BRS	136	simulat\$5 same join\$3 with (order\$1 sequence\$1) and @rlad<="20020304"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:07
27	BRS	4	simulat\$5 same join\$3 with (order\$1 sequence\$1) same (optimal optimum optimiz\$8) and @rlad<="20020304"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:11
28	BRS	136	simulat\$5 same join\$3 with (order\$1 sequence\$1) and @rlad<="20020304"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 12:11
29	BRS	2	simulat\$5 same join\$3 with (order\$1 sequence\$1) and @rlad<="20020304" and relational adj database	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:48
30	BRS	1	10/090275	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 10:50

	Type	Hits	Search Text	DBs	Time Stamp
31	BRS	2	"6136111".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 13:39
32	BRS	2	"6138111".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/04/01 13:39